



# GRENT



CHIAMA PER INFORMAZIONI

## 327-1929902

Lun-Ven 8.30-19.00 Sab.08.30-12.00

## LISTINO CINGOLI IN GOMMA

CODICE	DESCRIZIONE
CNG. 180 60 34	Cingolo in Gomma LS Track 180x60x34
CNG. 180 60 35	Cingolo in Gomma LS Track 180x60x35
CNG. 180 60 37	Cingolo in Gomma LS Track 180x60x37
CNG. 180 72 34	Cingolo in Gomma LS Track 180x72x34
CNG. 180 72 35	Cingolo in Gomma LS Track 180x72x35
CNG. 180 72 37	Cingolo in Gomma LS Track 180x72x37
CNG. 180 72 34 K	Cingolo in Gomma LS Track 180x72x34K
CNG. 180 72 37 K	Cingolo in Gomma LS Track 180x72x37K
CNG. 180 72 40 K	Cingolo in Gomma LS Track 180x72x40K
CNG. 180 72 41 K	Cingolo in Gomma LS Track 180x72x41K
CNG. 180 72 43 K	Cingolo in Gomma LS Track 180x72x43K
CNG. 200 72 37	Cingolo in Gomma LS Track 200x72x37
CNG. 200 72 41	Cingolo in Gomma LS Track 200x72x41
CNG. 200 72 42	Cingolo in Gomma LS Track 200x72x42
CNG. 200 72 43	Cingolo in Gomma LS Track 200x72x43
CNG. 200 72 43 K	Cingolo in Gomma LS Track 200x72x43K
CNG. 200 72 47 K	Cingolo in Gomma LS Track 200x72x47K
CNG. 230 48 60	Cingolo in Gomma LS Track 230x48x60
CNG. 230 48 62	Cingolo in Gomma LS Track 230x48x62
CNG. 230 48 64	Cingolo in Gomma LS Track 230x48x64
CNG. 230 48 66	Cingolo in Gomma LS Track 230x48x66
CNG. 230 48 68	Cingolo in Gomma LS Track 230x48x68
CNG. 230 48 70	Cingolo in Gomma LS Track 230x48x70
CNG. 230 48 72	Cingolo in Gomma LS Track 230x48x72
CNG. 230 48 70 K	Cingolo in Gomma LS Track 230x48x70K
CNG. 230 72 42	Cingolo in Gomma LS Track 230x72x42
CNG. 230 72 43	Cingolo in Gomma LS Track 230x72x43
CNG. 230 72 45	Cingolo in Gomma LS Track 230x72x45
CNG. 230 72 47	Cingolo in Gomma LS Track 230x72x47
CNG. 230 72 46 K	Cingolo in Gomma LS Track 230x72x46K
CNG. 230 72 47 K	Cingolo in Gomma LS Track 230x72x47K
CNG. 230 96 30	Cingolo in Gomma LS Track 230x96x30
CNG. 230 96 31	Cingolo in Gomma LS Track 230x96x31
CNG. 230 96 32	Cingolo in Gomma LS Track 230x96x32
CNG. 230 96 33	Cingolo in Gomma LS Track 230x96x33
CNG. 230 96 35	Cingolo in Gomma LS Track 230x96x35
CNG. 230 96 36	Cingolo in Gomma LS Track 230x96x36
CNG. 250 47 84 K	Cingolo in Gomma LS Track 250x47x84K
CNG. 250 485 84 Y	Cingolo in Gomma LS Track 250x48,5x84Y





# GRENT



CHIAMA PER INFORMAZIONI

## 327-1929902

Lun-Ven 8.30-19.00 Sab.08.30-12.00

CODICE	DESCRIZIONE
CNG. 250 525 72 K	Cingolo in Gomma LS Track 250x52,5x72K
CNG. 250 525 76 K	Cingolo in Gomma LS Track 250x52,5x76K
CNG. 250 525 78 K	Cingolo in Gomma LS Track 250x52,5x78K
CNG. 250 525 80 K	Cingolo in Gomma LS Track 250x52,5x80K
CNG. 250 525 73 N	Cingolo in Gomma LS Track 250x52,5x73N
CNG. 250 525 76 N	Cingolo in Gomma LS Track 250x52,5x76N
CNG. 250 525 77 N	Cingolo in Gomma LS Track 250x52,5x77N
CNG. 250 525 78 N	Cingolo in Gomma LS Track 250x52,5x78N
CNG. 250 525 80 N	Cingolo in Gomma LS Track 250x52,5x80N
CNG. 250 72 45	Cingolo in Gomma LS Track 250x72x45
CNG. 250 72 47	Cingolo in Gomma LS Track 250x72x47
CNG. 250 72 52	Cingolo in Gomma LS Track 250x72x52
CNG. 260 96 36	Cingolo in Gomma LS Track 260x96x36
CNG. 260 96 38	Cingolo in Gomma LS Track 260x96x38
CNG. 260 96 40	Cingolo in Gomma LS Track 260x96x40
CNG. 260 96 41	Cingolo in Gomma LS Track 260x96x41
CNG. 300 109 38 W	Cingolo in Gomma LS Track 300x109x38W
CNG. 300 109 41 W	Cingolo in Gomma LS Track 300x109x41W
CNG. 300 525 74 K	Cingolo in Gomma LS Track 300x52,5x74K
CNG. 300 525 76 K	Cingolo in Gomma LS Track 300x52,5x76K
CNG. 300 525 78 K	Cingolo in Gomma LS Track 300x52,5x78K
CNG. 300 525 80 K	Cingolo in Gomma LS Track 300x52,5x80K
CNG. 300 525 82 K	Cingolo in Gomma LS Track 300x52,5x82K
CNG. 300 525 84 K	Cingolo in Gomma LS Track 300x52,5x84K
CNG. 300 525 88 K	Cingolo in Gomma LS Track 300x52,5x88K
CNG. 300 525 72 N	Cingolo in Gomma LS Track 300x52,5x72N
CNG. 300 525 74 N	Cingolo in Gomma LS Track 300x52,5x74N
CNG. 300 525 76 N	Cingolo in Gomma LS Track 300x52,5x76N
CNG. 300 525 78 N	Cingolo in Gomma LS Track 300x52,5x78N
CNG. 300 525 80 N	Cingolo in Gomma LS Track 300x52,5x80N
CNG. 300 525 82 N	Cingolo in Gomma LS Track 300x52,5x82N
CNG. 300 525 84 N	Cingolo in Gomma LS Track 300x52,5x84N
CNG. 300 525 86 N	Cingolo in Gomma LS Track 300x52,5x86N
CNG. 300 525 88 N	Cingolo in Gomma LS Track 300x52,5x88N
CNG. 300 525 72 W	Cingolo in Gomma LS Track 300x52,5x72W
CNG. 300 525 74 W	Cingolo in Gomma LS Track 300x52,5x74W
CNG. 300 525 76 W	Cingolo in Gomma LS Track 300x52,5x76W
CNG. 300 525 78 W	Cingolo in Gomma LS Track 300x52,5x78W
CNG. 300 525 80 W	Cingolo in Gomma LS Track 300x52,5x80W
CNG. 300 525 82 W	Cingolo in Gomma LS Track 300x52,5x82W
CNG. 300 525 84 W	Cingolo in Gomma LS Track 300x52,5x84W
CNG. 300 525 86 W	Cingolo in Gomma LS Track 300x52,5x86W
CNG. 300 525 90 W	Cingolo in Gomma LS Track 300x52,5x90W
CNG. 300 525 78 WK	Cingolo in Gomma LS Track 300x52,5x78WK
CNG. 300 525 82 WK	Cingolo in Gomma LS Track 300x52,5x82WK
CNG. 300 53 80 K	Cingolo in Gomma LS Track 300x53x80K
CNG. 300 53 84 K	Cingolo in Gomma LS Track 300x53x84K



# GRENT



CHIAMA PER INFORMAZIONI

## 327-1929902

Lun-Ven 8.30-19.00 Sab.08.30-12.00

CNG. 300 555 76 Y	Cingolo in Gomma	LS Track	300x55,5x76Y	
CNG. 300 555 78 Y	Cingolo in Gomma	LS Track	300x55,5x78Y	
CNG. 300 555 82 Y	Cingolo in Gomma	LS Track	300x55,5x82Y	
CNG. 300 55 88	Cingolo in Gomma	LS Track	300x55x88N	
CNG. 320 525 74 N	Cingolo in Gomma	LS Track	320x52,5x74N	
CNG. 320 525 80 N	Cingolo in Gomma	LS Track	320x52,5x80N	
CNG. 320 54 72	Cingolo in Gomma	LS Track	320x54x72N	
CNG. 320 54 78	Cingolo in Gomma	LS Track	320x54x78N	
CNG. 320 86 49 B	Cingolo in Gomma	LS Track	320x86x49B	
CNG. 320 86 50 B	Cingolo in Gomma	LS Track	320x86x50B	
CNG. 320 86 52 B	Cingolo in Gomma	LS Track	320x86x52B	
CNG. 320 86 52 T	Cingolo in Gomma	LS Track	320x86x52T	
CNG. 350 525 84 W	Cingolo in Gomma	LS Track	350x52,5x84W	
CNG. 350 525 86 W	Cingolo in Gomma	LS Track	350x52,5x86W	
CNG. 350 54,5 86 K	Cingolo in Gomma	LS Track	350x54,5x86K	
CNG. 350 755 74 Y	Cingolo in Gomma	LS Track	350x75,5x74Y	
CNG. 380 100 42	Cingolo in Gomma	LS Track	380x100x42 PT	
CNG. 400 142 37 K	Cingolo in Gomma	LS Track	400x142x37K	
CNG. 400 144 36 Y	Cingolo in Gomma	LS Track	400x144x36Y	
CNG. 400 725 68 KB	Cingolo in Gomma	LS Track	400x72,5x68KB	
CNG. 400 725 72 KB	Cingolo in Gomma	LS Track	400x72,5x72KB	
CNG. 400 725 74 KB	Cingolo in Gomma	LS Track	400x72,5x74KB	
CNG. 400 725 72 N	Cingolo in Gomma	LS Track	400x72,5x72N	
CNG. 400 725 74 N	Cingolo in Gomma	LS Track	400x72,5x74N	
CNG. 400 725 68 W	Cingolo in Gomma	LS Track	400x72,5x68W	
CNG. 400 725 70 W	Cingolo in Gomma	LS Track	400x72,5x70W	
CNG. 400 725 72 W	Cingolo in Gomma	LS Track	400x72,5x72W	
CNG. 400 725 74 W	Cingolo in Gomma	LS Track	400x72,5x74W	
CNG. 400 725 76 W	Cingolo in Gomma	LS Track	400x72,5x76W	
CNG. 400 725 72 KU	Cingolo in Gomma	LS Track	400x72,5x72KU	
CNG. 400 725 74 KU	Cingolo in Gomma	LS Track	400x72,5x74KU	
CNG. 400 74 72 N	Cingolo in Gomma	LS Track	400x74x72N	
CNG. 400 755 74 Y	Cingolo in Gomma	LS Track	400x75,5x74Y	
CNG. 450 100 48	Cingolo in Gomma	LS Track	450x100x48	
CNG. 450 100 50	Cingolo in Gomma	LS Track	450x100x50	
CNG. 450 71 82	Cingolo in Gomma	LS Track	450x71x82	
CNG. 450 71 84	Cingolo in Gomma	LS Track	450x71x84	
CNG. 450 71 86	Cingolo in Gomma	LS Track	450x71x86	
CNG. 450 76 80	Cingolo in Gomma	LS Track	450x76x80	
CNG. 450 81 76 N	Cingolo in Gomma	LS Track	450x81x76N	
CNG. 450 81 76 W	Cingolo in Gomma	LS Track	450x81x76W	
CNG. 450 81,5 76	Cingolo in Gomma	LS Track	450x81,5x76N	
CNG. 450 835 74 K	Cingolo in Gomma	LS Track	450x83,5x74K	
CNG. 450 835 74 Y	Cingolo in Gomma	LS Track	450x83,5x74Y	
CNG. 450 84 53	Cingolo in Gomma	LS Track	450x84x53	
CNG. 450 84 56	Cingolo in Gomma	LS Track	450x84x56	
CNG. 450 86 52	Cingolo in Gomma	LS Track	450x86x52	
CNG. 450 86 55	Cingolo in Gomma	LS Track	450x86x55	



# GRENT



CHIAMA PER INFORMAZIONI  
**327-1929902**

Lun-Ven 8.30-19.00 Sab.08.30-12.00

CODICE	DESCRIZIONE
CNG. 450 86 56	Cingolo in Gomma LS Track 450x86x56
CNG. 460 102 51	Cingolo in Gomma LS Track 460x102x51PT
CNG. 460 102 56	Cingolo in Gomma LS Track 460x102x56PT
CNG. 485 92 72	Cingolo in Gomma LS Track 460x102x56PT



I nostri cingoli utilizzano la tecnologia dei cavi interni continui che garantisce maggiore resistenza e durata rispetto ai cingoli con cavi interni giuntati o saldati.

Vasta gamma di misure disponibili a stock in grado di soddisfare qualsiasi richiesta.

